## Framingham/ATP III point scores in MEN

	Age, years 20 to 34 35 to 39 40 to 44 45 to 49 50 to 54 55 to 59 60 to 64 65 to 69 70 to 74 75 to 79	P	oints -9 -4 0 3 6 8 10 11 12 13		
Total cholesterol mg/dL (mmol/L) <160 (3.4) 160 to 199 (3.4 to 5.15) 200 to 239 (5.17 to 6.18) 240 to 279 (6.2 to 7.21) ≥280 (7.24)	Age 20 to 39 0 4 7 9 11	Age 40 to 49 0 3 5 6 8	Age 50 to 59 0 2 3 4 5	Age 60 to 69 0 1 1 2 3	Age 70 to 79 0 0 1 1
Nonsmoker Smoker HDL cholesterol mg/dL (mmol/L) ≥60 (1.55) 50 to 59 (1.29 to 1.53) 40 to 49 (1.03 to 1.27)	Age 20 to 39 0 8 Points -1 0 1	Age 40 to 49 0 5	Age 50 to 59 0 3	Age 60 to 69 0 1	Age 70 to 79 0 1
<pre>&lt;40 (1.03) Systolic blood pressure, m &lt;120 120 to 129 130 to 139 140 to 159 ≥160</pre>	2	<b>Treated</b> 0 1 2 2 3			
POINT TOTAL 0 1 2 3 4 5 6 7 8	10-Year risk, percent 1 1 1 1 2 2 3 4	t PO	INT TOTAL 9 10 11 12 13 14 15 16 17		isk, percent 5 6 8 10 12 16 20 25 30

NOTE:

These risk estimates for the development of coronary heart disease do not account for all important cardiovascular risk factors. Not included are diabetes mellitus Adapted from Adult Treatment Panel III at http://www.nhlbi.nih.gov/ The point total is determined in each category and the 10-year risk determined in the bottom row. © 2011 UpToDate, Inc. All rights reserved. | Terms of Use | Sitemap |

Support Tag: [ecapp0602p.utd.com-24.46.240.14-A2D1D731EF-14] Licensed to: UpToDate Marketing Professional